

UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/798,139	03/11/2004	Elena Abramyan	G854	5557	
39747	7590 11/17/2004		EXAM	EXAMINER	
	IN LAW OFFICES, P.C.	HALE, GLORIA M			
	E ROAD - 204 LAND, NY 10304		ART UNIT	PAPER NUMBER	
			3765		

DATE MAILED: 11/17/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)			
Office Action Comments		10/798,139	ABRAMYAN, ELENA			
Office Action Summ	ary	Examiner	Art Unit			
		Gloria Hale	3765			
The MAILING DATE of this c Period for Reply	ommunication app	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PEI THE MAILING DATE OF THIS CO - Extensions of time may be available under the after SIX (6) MONTHS from the mailing date of - If the period for reply specified above, the m Failure to reply within the set or extended perio Any reply received by the Office later than three earned patent term adjustment. See 37 CFR 1	MMUNICATION. provisions of 37 CFR 1.13 this communication. an thirty (30) days, a reply aximum statutory period w d for reply will, by statute, e months after the mailing	6(a). In no event, however, may a reply be tin within the statutory minimum of thirty (30) day ill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).			
Status						
1) Responsive to communication	n(s) filed on	· _•				
2a) ☐ This action is FINAL .	• •	action is non-final.				
• • • • • • • • • • • • • • • • • • • •	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
4a) Of the above claim(s) 5)⊠ Claim(s) <u>1-14</u> is/are allowed. 6)□ Claim(s) is/are rejecte 7)□ Claim(s) is/are objecte	Claim(s) 1-13 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. Claim(s) 1-14 is/are allowed. Claim(s) is/are rejected. Claim(s) is/are objected to.					
Application Papers		·				
9)⊠ The specification is objected to by the Examiner.						
10)⊠ The drawing(s) filed on <u>11 Ma</u>	0)⊠ The drawing(s) filed on <u>11 March 2004</u> is/are: a)□ accepted or b)⊠ objected to by the Examiner.					
Applicant may not request that a	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
	Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119						
 Copies of the certified application from the In 	ne of: priority documents priority documents copies of the prior ternational Bureau	s have been received. s have been received in Applicati ity documents have been receive	ion No ed in this National Stage			
Attachment(s)		_				
 Notice of References Cited (PTO-892) D Notice of Draftsperson's Patent Drawing F 	Paviou (PTO 049)	4) 🔲 Interview Summary Paper No(s)/Mail Da				
 Information Disclosure Statement(s) (PTC Paper No(s)/Mail Date 3-11-04. 			Patent Application (PTO-152)			

DETAILED ACTION

Drawings

The drawings are objected to because the reference number 24 in the center area is not the upper flange area as described in the specification. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Specification

The disclosure is objected to because of the following informalities: there is no support in the specification for the term "molded" as claimed in claim 10. The support for the claimed term of molded can be added to the specification on page 7, line 10 to

indicate that the brassiere is "preferably molded". Also throughout the specification the terms "silicon and silicone" are used. Consistent terminology should be used throughout the specification. Also there is no support for the language of claim 6 that describes that the flanges extend outwardly from a portion of the periphery of the cup directly opposite the clasp. Such a description should be added to the specification to provide the support for the claimed subject matter.

Appropriate correction is required.

Claims 1-14 are allowed.

None of the cited references, alone or in combination, disclose the brassiere with the flange having a first surface, an upper tab and a side tab constructed as claimed and as including an adhesive lining in addition to a clasp between the cups as in claim 1. None of the cited references disclose the removable nipples as claimed in claim 4 or the method of wearing a brassiere with the removable nipples as claimed in claim 11.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gloria Hale whose telephone number is 571-272-4984. The examiner can normally be reached on Tuesday-Friday.

The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/798,139 Page 4

Art Unit: 3765

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Gloria Hale Primary Examiner

Art Unit 3765
